

LEAD LINED GLASS

CATEGORY INFORMATION

PHILLIPS-SAFETY.COM

COPYRIGHT ©2025. ALL RIGHTS RESERVED



PHILLIPS SAFETY
PRODUCTS INC.



Phillips Safety is the industry leader in occupational safety eyewear. In business for over 100 years, you are being served with the dedication and craftsmanship of a family owned company.

Phillips Safety has been producing occupational safety glasses since 1905 and continues to develop and produce the highest quality glasses and lenses today. A leading manufacturer of specialty safety eyewear in the United States, Phillips Safety adheres to strict ANSI Z87-2+ and EN 207 CE standard certifications, holding itself to a highest standard and prides itself on producing glasses with the finest quality materials available.

All safety glasses produced and sold by Phillips Safety meet strict industry standards for military, medical, research laboratories, and a variety of other industries.

With Phillips Safety's dedicated team, you can rest assured knowing that all your prescription safety needs are met.


CATEGORY INFORMATION

LEAD LINED GLASS

Lead lined glass is an essential component of any radiation shielding system, providing a transparent barrier that allows the safe observation of radioactive processes while protecting workers from harmful radiation exposure. Phillips Safety offers a comprehensive range of lead lined glass products, designed to meet the specific requirements of different industries.

Our lead lined glass products are available in various sizes with thickness of 8mm. We use the highest quality lead and glass materials in our manufacturing process, ensuring that our lead lined glass products meet the highest standards of safety and durability.

Phillips Safety is committed to providing customers with high-quality lead lined glass products that offer exceptional radiation shielding performance. They have lead equivalency of 2.0mm PbEq, to ensure that they meet the specific radiation attenuation requirements of different industries.



CATEGORY INFORMATION
LEAD LINED GLASS



In addition to our standard products, we also offer custom design services for our lead lined glass products, providing customers with bespoke solutions that cater to their unique requirements. Our experienced design team works closely with our customers to ensure that our lead lined glass products are tailored to meet their specific needs, delivering the best possible shielding performance while maintaining transparency and visibility.

With our comprehensive collection of lead lined glass products, Phillips Safety is committed to ensuring that workers in different industries are adequately protected from radiation exposure.


CATEGORY INFORMATION
LEAD LINED GLASS

A large, stylized letter 'P' in a teal color serves as a background graphic. It is composed of thick, rounded strokes. The top of the 'P' is a semi-circle, and the vertical stem has a small rectangular notch at the bottom.

PHILLIPS SAFETY
LEAD LINED GLASS

PRODUCT INFORMATION

STANDARD RADIATION SHIELDING GLASS - 10" x 12"



The Standard Radiation Shielding Glass is a high-quality radiation shielding glass by Phillips Safety. The thickness of the glass is of 8mm (+/- 1mm) and it features a lead equivalency of 2.0mm PbEq. It is available in nine different standard sizes: 10" x 12", 12" x 12", 12" x 18", 12" x 24", 24" x 24", 24" x 30", 24" x 36", 30" x 48", and 30" x 60".

SPECIFICATION

SIZE: 10" x 12"

SHAPE: Rectangle


COLOR: Clear

MATERIAL: Glass

GLASS THICKNESS: 8mm (+/- 1mm)

LEAD EQUIVALENCY: 2.0mm PbEq.

PRODUCT INFORMATION
STANDARD RADIATION SHIELDING GLASS - 12" x 12"



The Standard Radiation Shielding Glass is a high-quality radiation shielding glass by Phillips Safety. The thickness of the glass is of 8mm (+/- 1mm) and it features a lead equivalency of 2.0mm PbEq. It is available in nine different standard sizes: 10" x 12", 12" x 12", 12" x 18", 12" x 24", 24" x 24", 24" x 30", 24" x 36", 30" x 48", and 30" x 60".

SPECIFICATION

SIZE: 12" x 12"

SHAPE: Square

COLOR: Clear

MATERIAL: Glass

GLASS THICKNESS: 8mm (+/- 1mm)

LEAD EQUIVALENCY: 2.0mm PbEq.

PRODUCT INFORMATION

STANDARD RADIATION SHIELDING GLASS - 12" x 18"



The Standard Radiation Shielding Glass is a high-quality radiation shielding glass by Phillips Safety. The thickness of the glass is of 8mm (+/- 1mm) and it features a lead equivalency of 2.0mm PbEq. It is available in nine different standard sizes: 10" x 12", 12" x 12", 12" x 18", 12" x 24", 24" x 24", 24" x 30", 24" x 36", 30" x 48", and 30" x 60".

SPECIFICATION

SIZE: 12" x 18"

SHAPE: Rectangle

COLOR: Clear

MATERIAL: Glass

GLASS THICKNESS: 8mm (+/- 1mm)

LEAD EQUIVALENCY: 2.0mm PbEq.

PRODUCT INFORMATION
STANDARD RADIATION SHIELDING GLASS - 12" x 24"



The Standard Radiation Shielding Glass is a high-quality radiation shielding glass by Phillips Safety. The thickness of the glass is of 8mm (+/- 1mm) and it features a lead equivalency of 2.0mm PbEq. It is available in nine different standard sizes: 10" x 12", 12" x 12", 12" x 18", 12" x 24", 24" x 24", 24" x 30", 24" x 36", 30" x 48", and 30" x 60".


SPECIFICATION

SIZE: 12" x 24"
SHAPE: Rectangle
COLOR: Clear

MATERIAL: Glass
GLASS THICKNESS: 8mm (+/- 1mm)
LEAD EQUIVALENCY: 2.0mm PbEq.

PRODUCT INFORMATION

STANDARD RADIATION SHIELDING GLASS - 24" x 24"



The Standard Radiation Shielding Glass is a high-quality radiation shielding glass by Phillips Safety. The thickness of the glass is of 8mm (+/- 1mm) and it features a lead equivalency of 2.0mm PbEq. It is available in nine different standard sizes: 10" x 12", 12" x 12", 12" x 18", 12" x 24", 24" x 24", 24" x 30", 24" x 36", 30" x 48", and 30" x 60".

SPECIFICATION

SIZE: 24" x 24"

SHAPE: Square


COLOR: Clear

MATERIAL: Glass

GLASS THICKNESS: 8mm (+/- 1mm)

LEAD EQUIVALENCY: 2.0mm PbEq.

PRODUCT INFORMATION
STANDARD RADIATION SHIELDING GLASS - 24" x 30"




The Standard Radiation Shielding Glass is a high-quality radiation shielding glass by Phillips Safety. The thickness of the glass is of 8mm (+/- 1mm) and it features a lead equivalency of 2.0mm PbEq. It is available in nine different standard sizes: 10" x 12", 12" x 12", 12" x 18", 12" x 24", 24" x 24", 24" x 30", 24" x 36", 30" x 48", and 30" x 60".

SPECIFICATION

SIZE: 24" x 30"
SHAPE: Rectangle
COLOR: Clear

MATERIAL: Glass
GLASS THICKNESS: 8mm (+/- 1mm)
LEAD EQUIVALENCY: 2.0mm PbEq.

PRODUCT INFORMATION
STANDARD RADIATION SHIELDING GLASS - 24" x 36"



The Standard Radiation Shielding Glass is a high-quality radiation shielding glass by Phillips Safety. The thickness of the glass is of 8mm (+/- 1mm) and it features a lead equivalency of 2.0mm PbEq. It is available in nine different standard sizes: 10" x 12", 12" x 12", 12" x 18", 12" x 24", 24" x 24", 24" x 30", 24" x 36", 30" x 48", and 30" x 60".


SPECIFICATION

SIZE: 24" x 36"
SHAPE: Rectangle
COLOR: Clear

MATERIAL: Glass
GLASS THICKNESS: 8mm (+/- 1mm)
LEAD EQUIVALENCY: 2.0mm PbEq.

PRODUCT INFORMATION

STANDARD RADIATION SHIELDING GLASS - 30" x 48"



The Standard Radiation Shielding Glass is a high-quality radiation shielding glass by Phillips Safety. The thickness of the glass is of 8mm (+/- 1mm) and it features a lead equivalency of 2.0mm PbEq. It is available in nine different standard sizes: 10" x 12", 12" x 12", 12" x 18", 12" x 24", 24" x 24", 24" x 30", 24" x 36", 30" x 48", and 30" x 60".

SPECIFICATION

SIZE: 30" x 48"

SHAPE: Rectangle

COLOR: Clear

MATERIAL: Glass

GLASS THICKNESS: 8mm (+/- 1mm)

LEAD EQUIVALENCY: 2.0mm PbEq.

PRODUCT INFORMATION

STANDARD RADIATION SHIELDING GLASS - 30" x 60"



The Standard Radiation Shielding Glass is a high-quality radiation shielding glass by Phillips Safety. The thickness of the glass is of 8mm (+/- 1mm) and it features a lead equivalency of 2.0mm PbEq. It is available in nine different standard sizes: 10" x 12", 12" x 12", 12" x 18", 12" x 24", 24" x 24", 24" x 30", 24" x 36", 30" x 48", and 30" x 60".

SPECIFICATION

SIZE: 30" x 60"

SHAPE: Rectangle

COLOR: Clear

MATERIAL: Glass

GLASS THICKNESS: 8mm (+/- 1mm)

LEAD EQUIVALENCY: 2.0mm PbEq.

PRODUCT INFORMATION
CUSTOM RADIATION SHIELDING GLASS



"Phillips Safety fabricates custom radiation shielding glass with sizes ranging from 12" x 12" up to 42" x 72". Our high-quality radiation windows have a glass thickness of 8mm (+/- 1mm) and feature a lead equivalency of 2.0mm PbEq. In order for us to quote your project, please be sure to have the following information when you call into our sales team: estimated quantity, size, and shade color.

SPECIFICATION

SIZE: From 12" x 12" up to 42" x 72"	MATERIAL: Glass
GLASS THICKNESS: 8mm (+/- 1mm)	Color: Clear
LEAD EQUIVALENCY: 2.0mm PbEq.	Shape: Custom

CONTACT

Should you need any further information,
please do not hesitate to contact us.

123 Lincoln Blvd, Middlesex, NJ 08846, USA



+1 (866) 575 1307



service@phillips-safety.com



www.phillips-safety.com

